

## ACCESSORIES



TEKLAB workstations can be equipped with versatile accessories to make the workplace more practical. Different kinds of auxiliary tops give new possibilities to combine loose instruments, tools and e.g. circuit diagrams and drawings to the workstations ergonomically. Accessories are attached to the perforated uprights of the workstation.

The standard colour of the workstations and fittings is light grey – RAL7035. However, there are many optional colours available.

## DISPLAY HOLDERS

- Fixing a display to a separate holder gives more workspace on the table top
- Adjustable display holder improves work ergonomics

Models	Description
WSA93049002	Display holder
WSA890715	Display holder for perforated back panel
MA3+AS3	LCD-display holder with a height adjustable arm



WSA93035002



MA3



WSA890715

## KEYBOARD TRAY

- Keyboard tray is fastened under the table top

Model	Size, W x D, mm	Max load, kg
WHV92549001	630 x 400	10



**PC RACKS**

- In TEKLAB workstations desktop computers can be placed under the table top saving workspace
- The PC racks are lockable, lock not included (except WHV861120)
- ESD powder painted steel construction
- Check the table for compatibility (X = available)



CPULUKIT,  
CPULUKIT5



WHV854440



WHV860552,  
WHV860740



WHV861120

Model	Description	Max size of PC W x D x H, mm	HELP5	HELP3	Concept	Basic	Heavy duty
CPULUKIT	PC rack, keyboard stand	230 x 430 x 430			X		X
CPULUKIT5	PC rack, keyboard stand	230 x 430 x 430	X				
CPUVTLUKITT	PC rack, extendable shelf	230 x 430 x 430	X		X		X
WHV860552	PC shelf, foot attachment	100-240 x 450 x 430		X	X		
WHV860740	PC shelf, foot attachment	100-240 x 450 x 430	X				
WHV861120	PC cabinet, extendable shelf	325 x 550 x 560	X		X		X
WHV854440	PC-holder for H-leg	180-225x450x 50				X	

**DRAWER UNITS 45**

- Select from two models: drawer trolley or drawer to be fixed under the table top
- Drawers equipped with ball-rails and central locking, load capacity 60 kg / drawer
- 100 % opening of the drawers
- In trolley model four swivel wheels, two with brakes, diameter 100 mm
- ESD-painted steel frame, ESD-trolley model equipped with ESD-mat and wheels
- Standard colour light grey – RAL7035, optional colours available for drawer fronts, see page 19
- Dimensions: 450(W) x 520(D) x 560(H) mm



WKL60649101



WEV60649302

Drawer to be fixed under table top	Trolley model Non ESD	Trolley model ESD	Drawers
WKL60649101	WKV60641301	WEV60649301	5 x 100 mm
WKL60649102	WKV60641302	WEV60649302	2 x 100 mm, 2 x 150 mm
WKL60649103	WKV60641303	WEV60649303	3 x 100 mm, 1 x 200 mm
WKL60649104	WKV60641304	WEV60649304	1 x 100 mm, 2 x 200 mm
WKL60649107	WKV60641307	WEV60649307	2 x 150 mm, 1 x 200 mm

## DRAWER UNITS 30

- ESD-painted steel frame
- To be fixed under table top. Drawer units can also be fixed one below other
- Small drawers for tools etc.
- Drawers equipped with a lock
- Drawer opening 80%
- Internal drawer dimensions: 253(W) x 429(D) x 130(H) mm

Model	Size, W x D x H, mm	Max load, kg
WKS859330	300 x 454 x 150, 1 drawer	10
WKS859340	300 x 454 x 222, 2 drawers	20
WKS860972	350 x 450 x 470, cabinet	25
WKS860918	350 x 450 x 555, cabinet, wheels	25



WKS859330



WKS860918

## UPRIGHT TUBES

- Perforated upright tubes for fastening accessories to workstations
- Made of ESD painted steel, 30(W) x 60(D) mm
- Removable

Model	Height
WPE860024	1359 mm
WPE860367	996 mm
WPE860142	800 mm



## SHELVES

- Structure made of ESD painted steel

Model	Size, W x D, mm	Max load kg
WHT860804	490 x 300	50
WHT860805	490 x 400	50
WHT836028	740 x 300	50
WHT852770	740 x 400	50
WHT852283	890 x 300	50
WHT852796	890 x 400	50
WHT890631	990 x 300	50
WHT891632	990 x 400	50
WTL820471	600 x 200, fixed to perforated back panel	7



## PERFORATED BACK PANELS

- Structure made of ESD painted steel
- Can be used to attach accessories such as hooks or suspension rails
- Standard colour, RAL7035, optional colours available

Model	Dimensions (W) x (H)
WPT861501	468 x 389 mm
WPT861511	718 x 389 mm
WPT861516	871 x 389 mm
WTL861532	968 x 389 mm



## SUSPENSION RAILS AND PICK-UP BOXES

- Structure made of ESD painted steel

Model	Description	Max load
WHL859150	Suspension rail, 492(W) x 100(H) mm	50 kg
WHL859151	Suspension rail, 742 (W) x 100(H) mm	50 kg
WHL859152	Suspension rail, 895(W) x 100(H) mm	50 kg
WHL859156	Suspension rail, 967(W) x 100(H) mm	50 kg
WEL806207	Pick-up box, 105(W) x 165(D) x 75(H) mm	2 kg



## TRAINING PANEL FRAMES AND -BOX

- Frame for A4 training panels
- Easily fastening and removing of panels

Model	Description
A4FRAME12(D)	Training panel frame, width 1200 mm, one row
A4FRAME15(D)	Training panel frame, width 1500 mm, one row
A4FRAME18(D)	Training panel frame, width 1800 mm, one row
* D model includes two rows	
TABOX	Box for electric and control devices, 840 mm



## LIGHT / BALANCER RAILS

- Rail can be used to attach light ergonomically above the workstation
- Structure made of ESD-painted steel
- Height and depth adjustment

Model	Description
WSK91849006	Light / balancer rail, width 1500 mm
WSK91849008	Light / balancer rail, width 1800 mm
WSK91849003	Light / balancer rail, width 2000 mm



## LIGHT

- LED light
- Colour rendering index: CRI > Ra 80
- Colour temperature: 4000 K
- Colour consistency max 3 SDCM
- Lifetime > 50 000 hours (L90B10)
- One touch dim button switch for ON/OFF and dimming in the luminaire body
- Dimmable 10-100 % (WSKTIL850 not incl. dimming)
- Includes 5 pcs plastic clips for attaching cables to bench uprights
- Dimensions
  - LTNL1200: 1180mm x 120mm x 50mm
  - LTNL500W: 430 mm x 120 mm x 50 mm
  - WSKTIL850 850 mm x 67 mm x 80 mm



LTNL1200, WSKTIL850



LTNL500W

Model	Fixing type	Luminous flux	Illuminance	Luminous efficacy	Power	Adjustability
WSKTIL850	Light rail	3800 lm	3100 lx ±10 % (@ 1m)	125 lm/W	56 W	±45° vertically
LTNL1200	Light rail	7100 lm	3100 lx ±10 % (@ 1m)	125 lm/W	56 W	±45° vertically
LTNL500W	Upright tube	1750 lm	800 lx ±10 % (@ 1m)	110 lm/W	14 W	±45° vertically, ±90° horizontally

## CABLE TROUGHS

- Horizontal cable trough efficiently hides cables without preventing maintenance access
- Structure made of ESD painted steel

Model	Description
WTL854556	Cable trough, 1487(W) x 97(D) x 45(H) mm
WTL854557	Cable trough, 1793(W) x 97(D) x 45(H) mm
WTL903720	Cable trough, 1887(W) x 97(D) x 45(H) mm



## DOCUMENT HOLDER

- Documents and drawings can be easily placed on the document holder with two magnets included
- Structure made of ESD painted steel

Model	Size, W x D, mm	Max load, kg
WSI92849008	290 x 330	5



## TOOL PANEL

- Perforated tool panel, includes 6 pcs hooks
- Structure made of ESD painted steel

Model	Size, W x D, mm	Max load, kg
WST92849010	267 x 305	5



## AUXILIARY TOP

- Can be rotated 360°, tilt adjustment 0-25°
- Structure made of ESD painted steel

Models	Size, W x D, mm	Max load, kg
WSA92749001	560 x 340	15
WSA92749002	605 x 405	15



## HOOK SETS

- Hook sets can be fastened to perforated plates

Models	Description
WHR855001	Series 1, 20 pcs hooks
WHR855003	Series 3, 69 pcs hooks



## FOOT REST

- Freestanding model
- Tilt adjustment 5-30 °

Model	Dimensions
WTT860947	550 x 350 mm



## INSTRUMENT SUPPORT

- Support for different types of process instruments (pressure transmitters, switches etc.)
- Properly fastened instrument makes calibration and repair work easier
- Includes a plate and a tube bracket to be compatible with standard size devices

Model	Size, W x D x H, mm
INSTRSU	240 x 260 x 318



## WHEELS FOR WORKSTATIONS

- Diameter of wheels 100 mm, two wheels with brakes

Model	Description
WPP834734	Standard
WEP860429	ESD
1987	Swivel castors (TABHEAVYxxx)
1988	Fixed castors (TABHEAVYxxx)



## TRANSPORT SKATES FOR WORKSTATIONS

- With transport skates, one person can easily move the workstation

Model	Description
TRSK	1 pair transport skates



**CABINETS**

- Cabinets bring tidiness, order and efficiency to the work environment
- Cabinets are made of ESD-painted steel
- Available are practical accessories such as extendable shelves and drawers with ball-race rails, steel shelves, perforated plates for doors and side walls etc.

Model	Description	Dimensions, W x D x H, mm
TKCABIN1	Tool cabinet, two shelves, perforated panels, hook series 60 pcs	1024 x 500 x 2000
TKSARJA5	Tool set to be attached to TKCABIN1 cabinet, 60 tools	
TKCABIN2	General purpose cabinet, two shelves	800 x 400 x 1000
TKCABIN4	Training kit cabinet, acrylic glass doors, four shelves	1024 x 400 x 2000
TKCABIN5	Training kit cabinet, acrylic glass doors, four shelves	1024 x 500 x 2000
WVK821465	Perforated tool cabinet	720 x 255 x 300
WVK820800	Perforated tool cabinet	720 x 255 x 400
WRL836273	Shelf for the perforated cabinet	715 x 175 x 15



TKCABIN1 + TKSARJA5



TKCABIN2



TKCABIN4, TKCABIN5



WVK821465, WVK820800

**CHAIRS**

Standard models



C15PU

C20PU

C25PU

C40BL

SADDLEL

Standard models	Description
C15PU	Stool, black, polyurethane, height adjustment, castors with load-sensitive brakes.
C20PU	Chair, black, polyurethane, height/backrest/tilt adjustment, castors with load-sensitive brakes
C25PU	Chair, black, polyurethane, height/backrest/tilt adjustment, castors with load-sensitive brakes, high version, foot ring, glides
C40BL	Chair, black, fabric, height/backrest/tilt/depth adjustment, castors with load-sensitive brakes
SADDLEL	Saddle chair, black, leather, height/tilt adjustment, castors with load-sensitive brakes.

ESD models



C20PU-ESD

C25PU-ESD

C40BL-ESD

ESD models	Description
C20PU-ESD	ESD chair, black, polyurethane, height/backrest/tilt adjustment, castors with load-sensitive brakes
C25PU-ESD	ESD chair, black, polyurethane, height/backrest/tilt adjustment, castors with load-sensitive brakes, high version, foot ring, glides
C40BL-ESD	ESD chair, black, fabric, height/backrest/tilt/depth adjustment, castors with load-sensitive brakes

Options

Options	Description
ARE	3D armrests for Cxxxx chairs, adjustment of height and width with possibility to swivel
ARE-ESD	4D ESD armrests for Cxxxx-ESD chairs, adjustment of height, width and depth with possibility to swivel.
CRING	Chrome-plated foot ring. Foot ring can also be retrofitted to our lower chair models by attaching it to the chair column. Can be used on both ESD and non-ESD models. The height can be easily adjusted without any tools.



## WORKSTOP TROLLEY

- All wheels, diameter 100 mm, with swivel, two with brakes
- Includes a lower surface
- Height adjustable between 650 - 900 mm
- Loading capacity: 150 kg
- Can be equipped with an additional shelf and PUSH-handle



Model	Dimensions, W x D x H, mm
WESSAP507	700 x 500 x 650-900
WESSAP507ESD	700 x 500 x 650-900, ESD

## CONCEPT TROLLEY

- All wheels, diameter 100 mm, with swivel, two with brakes
- ESD-protected
- Height adjustable between 650 - 900 mm
- An integrated bottom shelf, powder coated (RAL 7035) steel, max load 25 kg
- Can be equipped with an additional shelf or drawer unit WKS859330 or WKS859340
- Total max. load: 150 kg



Model	Description	Dimensions, W x D x H, mm
WESCONT705	Concept-trolley, ESD	750 x 500 x 650-900
WESCONTS504	Extra shelf for Concept-trolley ESD	500 x 400

## MULTI TROLLEYS

- An ergonomic mobile workstation
- Can be equipped with additional tops, shelves etc.
- ESD-protected
- Four swivel wheels, two with brakes
- Max load: 300 kg
- Ask for a separate catalogue for more information

Model	Description	Size, W x D x H, mm
WES72149001	Multi trolley 1	530 x 715 x 1130
WES72149002	Multi trolley 1	780 x 715 x 1130
WES72149003	Multi trolley 1	935 x 715 x 1130
WES72249001	Multi trolley 2	530 x 715 x 1630
WES72249002	Multi trolley 2	780 x 715 x 1630
WES72249003	Multi trolley 2	935 x 715 x 1630



Multitrolley 1

Multitrolley 2